



RICCO 65 CO., LTD.

# SECURITY DISPLAY SYSTEM

PRODUCT CATALOG 2026

Innovative Anti-Theft Solutions  
for Retail & Smart Display



[www.ricco65.com](http://www.ricco65.com)

# PRODUCT LINE

## STG series



DE30MLA

Ordinary anti-theft



DE30MSA

Mobile phone strong defense



DE30MHA

Mobile phone super strong defense



DE30MSB

Flat plate strong defense



DE30MHB

Flat plate super strong defense



DE30WLA

Watch theft prevention

# PRODUCT LINE

## STGpro series



**DE31MLA**

Standard anti-theft alarm



**DE31MSA**

Mobile phone strong anti-theft alarm



**DE31MSA**

Mobile phone super strong anti-theft alarm



**DE31WLA**

Strong watch anti-theft alarm



**DE31CLA**

Camera anti-theft alarm



**DE31ELA**

earphone anti-theft alarm



**DE31ELB**

Wall mounted earphones anti-theft alarm



**DE31TLB-1**

Toothbrush wall mounted anti-theft alarm



**DE31TLA**

Shaver wall mounted anti-theft alarm

# PRODUCT LINE

## LTG series



**DE40MLA**

Standard Mobile phone anti-theft alarm



**DE40MLB**

Standard Tablet anti-theft alarm




**DE40WLA**

Wearable anti-theft alarm



**DE40CLA**

Camera anti-theft alarm



**DE40ELA**

Earphone anti-theft alarm



**DE40TLA**

Hair dryer anti-theft alarm



**DE40TLB**

Toothbrush anti-theft alarm




**DE40ELC**

Wall mounted earphones alarm

# PRODUCT LINE

## LTGpro series



**DE41MLA**

Mobile phone pull box anti-theft alarm



**DE41WLA**

Watch pull box anti-theft alarm




**DE41ELA**

Earphone pull box anti-theft alarm

# PRODUCT LINE

## Display holder. Multi ports series



**HW-35**

Vertical mobile phone holder



**LT-01**

Horizontal mobile phone holder



**LT-02**

Horizontal tablet holder



**FA409-DW**

4 ports controller




**FA609-DW**

6 ports controller



**FA809-DW**

8 ports controller



**HW-39Y1**

Ultra thin security controller



**FE801-PD**

Multi port fast charging security controller

# PRODUCT LINE

## SA series



**SK-E**

remote key




**L100**

electronic lock



**DH36PLA**

Laptop anti-theft alarm



**DH36PSB**

Laptop anti-theft alarm



**DH36PSB**

Laptop anti-theft alarm



**SH36MLA**

Desktop computer security alarm



**SH36MLA**

Desktop computer security alarm



**SH36MSA**

Desktop computer security alarm



**SH36PLA**

Tablet anti-theft alarm



**SH36PSA**

Tablet strong anti-theft alarm

# PRODUCT LINE

## Other series



**ST07**

Mobile phone two claw anti-theft device



**ST08**

Mobile phone two claw anti-theft device



**DH36ELC**

Standard mobile phone anti-theft device



**DH36ESC**

Strong mobile phones anti-theft alarm



**DH36PLA**

Standard tablet anti-theft alarm



**DE31ELA**

Strong tablet anti-theft alarm



**HW-64C-2**

Standard watch anti-theft alarm

# PRODUCT LINE

---

## Wireless Mobile Phone series



**UWB-W013**

Vertical mobile phone  
UWB anti-theft device

# Mobile phone series

DE30MLA, DE30MSA, DE30MHA



## Features

1. Stylish and Streamlined Design;
2. Internal secured recoiler: cable with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard, Strong and High strong protection;
4. Stainless steel cable with shear resistance 20kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Optional Zinc alloy security bracket (2 or 4);
9. USB-A power cable (5V, 2A)



Standard security alarm for phone



Strong security alarm+2 bracket to fix phone



High strong security solution +4 brackets to fix phone



standard cable (diameter 3.1 and length 80cm)



Strong stainless steel cable (diameter 3.5 and length 80cm)



e-Tops

# Structure function


## 1 Type of charging security cable




## 3 Installation




## 2 Components




# Product dimension



Left view




Back view



Alarm host

# Bracket dimension range



## The width and thickness range of Bracket

Unit(mm)	Code	Width a	Thickness b	
Two-Bracket Range	DE30MA-1	57≤a≤90	6≤b≤11	
	DE30MA-2	140≤a≤245	6≤b≤11	
Four-bracket Range	Code	Width a	Length c	Thickness b
	PJ038	57≤a≤90	110≤c≤190	6≤b≤11
	PJ041	110≤a≤190	140≤c≤245	6≤b≤11

# Tablet series

DE30MSB, DE30MHB



# Features

1. Stylish and Streamlined Design;
2. Internal secured recoiler: cable with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard, Strong and High strong protection;
4. Stainless steel cable with shear resistance 20kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Optional Zinc alloy security bracket (2 or 4);
9. USB-A power cable (5V, 2A)



Standard security alarm with 3M adhesive to fix tablet



Strong security alarm with two bracket to fix tablet



High strong security alarm with 4 bracket to fix for tablet



standard cable (diameter 3.1 and length 80cm)



Stainless steel cable (diameter 3.5 and length 80cm)




e-Tops

# Structure function


## 1 Type of charging protection cable




## 3 Installation




## 2 Components



# Product dimension



# Clamp protection range



## The width and thickness range of bracket

Unit(mm)	Code	Width a	Thickness b	
Two bracket Range	DE30MA-1	57≤a≤90	6≤b≤11	
	DE30MA-2	140≤a≤245	6≤b≤11	
Four bracket Range	Code	Width a	Length c	Thickness b
	PJ039	57≤a≤90	110≤c≤190	6≤b≤11
	PJ041	110≤a≤190	140≤c≤245	6≤b≤11

# Wearable series

DE30WLA



## Features

1. Stylish and Streamlined Design;
2. Internal secured recoiler: cable with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: strong protection;
4. Stainless steel with shear resistance 20kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screw driver;
7. 360 degree lockdown for added security;
8. Optional split type steel security arms 4;
9. USB-A power cable (5V, 2A);
10. Support original charger USB-A, Type-C connector



Support original charging base  
cable length 100cm



Support display smartwatch size  
39 ~ 54mm




e-Tops


# Structure function

## 3 Components


### 1 Type of original base




### 2 Installation way




# Product dimension



Left view



Back view



Protection sensor

# Clamp protection range



## The width and thickness range of bracket

Unit(mm)	Code	Width a	Thickness b
Four-bracket	DE30WA	$39 \leq a \leq 54$	$6 \leq b \leq 11$

# Phone series

DE31MLA



## Features

1. Stylish and streamlined design;
2. External spring cable with 32CM ;
3. Multiple security level choices: Standard, strong or super strong protection;
4. strong steel cable with shear resistance 20kgf;
5. Alarm sound with 90 dB ;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Optional security bracket (2 or 4 bracket);
9. USB-A Power cable (5V, 2A)



Standard anti-theft alarm



Standard cable  
(diameter 3.1 and length 32cm)



e-Tops

# Structure function

## 1 Type of charging security cable



Lightning coiled cable



Type -c coiled cable



Micro -usb coiled cable

## 2 Components



Phone/Tablet



Alarm module


## 3 Installation




3M adhesive to stick on table




# Product dimension



Left view



Back view



Protection sensor

# Clamp protection range




## The width and thickness range of Bracket

Unit(mm)	Code	Width a	Thickness b	
Two- Bracket	PJ019A	57≤a≤90	6≤b≤11	
	Code	Width a	Length c	Thickness b
	PJ019C	57≤a≤90	110≤c≤190	6≤b≤11


# Tablet series

DE31MSA



## Features

1. Stylish and streamlined design;
2. Cable Length: 70CM ;
3. Multiple security level choices: Standard, Enhanced or High protection;
4. Stainless steel cable with shear resistance 20kgf;
5. Alarm Sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Optional security bracket ( 2 or 4 bracket );
9. USB-A power Cable (5V, 2A)



Metal plate fixing ontable



Stainless steel cable  
( diameter 3.5 and length 70cm)



e-Tops

# Structure function

## 1 Type of charging security cable



Lightning coiled cable



Type -c coiled cable



Micro -usb coiled cable

## 2 Components



Bracket



Alarm module




Quick release metal plate


## 3 Installation




using metal fixing plate




# Product dimension



Left view




Back view



Protection sensor

# Clamp protection range



## The width and thickness range of Bracket

Unit(mm)	Code	Width a		Thickness b
Two-bracket	PJ019E	140≤a≤245		6≤b≤11
Four-bracket	Code	Width a	Length c	Thickness b
	PJ019F	110≤a≤190	140≤c≤245	6≤b≤11

# Wearable series

DE31WLA



## Features

1. Stylish and streamlined design;
2. Cable length : 32CM;;
3. Security level choices: Strong protection;
4. Alarm Sound 90 dB alarm;
5. Quick release sensor with Eastops anti theft screwdriver;
6. 360 degree lockdown for added security;
7. Standard cable with tensile resistance 10kgf;
8. USB-A power cable (5V, 2A);
9. Support original charging base USB-A, Type-C connector



Standard cable  
( diameter 2.0 and length 100cm)



3M adhesive fixed  
phone/tablet



e-Tops

# Structure function

## 1 Type of original base



## 3 Installation




Using metal fixing plate




## 2 Components



# Product dimension



Back view



Protection sensor

# Clamp protection range



## The width and thickness range of clamp protection

Unit(mm)	Code	Width a	Thickness b
Fourbracket	DE31WA	$39 \leq a \leq 54$	$6 \leq b \leq 11$

# Camera series

DE31CLA



## Features

1. Stylish and streamlined design;
2. Cable length: 32CM ;
3. Security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging and alarm separation solution, lower false alarm probability;
8. USB-A charging cable(5V, 2A)



Standard cable  
( diameter 2.0 and length 100cm)



3M adhesive fixed  
on table



e-Tops


# Headphone series

DE31ELA



# Structure function

## 1 Type of alarm security cable



## 3 Installation




Using 3M adhesive




Using metal fixing plate


## 2 Components




# Product dimension



Left view



Back view



Protection sensor

## Features

1. Stylish and streamlined design;
2. Cable length 32CM
3. Pull length,Simplified aftersales enabled;
4. Security level choices: Standard protection;
5. Standard cable with tensile resistance 10kgf;
6. Alarm sound 90 dB alarm;
7. Quick release sensor with Eastops anti theft screwdriver;
8. Charging anti-theft separation solution, lower false alarm probability;
9. USB-A power cable (5V, 2A)



3M adhesive fixed on table



Standard cable  
( diameter 2.0 and length 100cm)



e-Tops

# Structure function

## 1 Type of alarm security cable



## 3 Installation




Using 3M adhesive to stick on table




Using metal fixing plate to lock on table


## 2 Components



# Product dimension



Left view



Back view

# IOT series

DE31ELB , DE31TLB-1



## Features

1. Stylish and streamlined design;
2. Cable length :32CM ,Simplified aftersales enabled;
3. Security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm-on-merchandise with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Lower false alarm probability;
8. USB-A power Cable (5V, 2A)



3M adhesive fixed on table




Metal fixed on wall



# Structure function

## 1 Type of alarm security cable



## 3 Installation




Using 3M adhesive to wall on mount




Using metal plate to fix on fixing mount


## 2 Components




# Product dimension



Left view



Back view



Protection sensor

# IOT series

DE31TLA



# Product display



# Phone series

DE40MLA



## Features

1. Stylish and streamlined design;
2. Internal recoiler with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Wireless alarm sensor optional;
9. USB-A power cable (5V, 2A)



Standard cable  
(diameter 2.0 and length 80cm)



Wireless / Standard security  
3M adhesive fixed phone/tablet



e-Tops

# Structure function

## 1 Type of charging security cable




## 2 Components




## 3 Installation




# Product dimension



Left view



Back view



Protection sensor

# Tablet series

DE40MLB



## Features

1. Stylish and streamlined design;
2. Internal recoiler with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Wireless alarm sensor optional;
9. USB-A power cable (5V, 2A)



Standard cable  
(diameter 2.0 and length 80cm)



Wireless / Standard security  
3M adhesive fixed phone/tablet



e-Tops

# Structure function

## 1 Type of charging security cable



Lightning coiled cable



Type -c coiled cable




Micro -usb coiled cable

## 3 Installation




3M adhesive


## 2 Components




# Product dimension



Left view



Back view



Protection sensor

# Wearable series

DE40WLA



## Features

1. Stylish and streamlined design;
2. Internal with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Split type ABS security arms 2;
9. USB-A power cable (5V, 2A);
10. Support original charging base USB-A, Type-C interface



Standard cable  
(diameter 2.0 and length 80cm)




Strong security  
ABS+2-way arms for wearable




e-Tops

# Structure function

## 1 Type of original base



## 2 Components




## 3 Installation way with desktop




Using 3M adhesive


# Product dimension



Left view



Back view



Protection sensor

# Clamp protection range



## The width and thickness range of clamp protection

Unit(mm)	Code	Width a	Thickness b
Four-bracket	DE40WA	$39 \leq a \leq 54$	$6 \leq b \leq 11$

# Camera series

DE40CLA



## Features

1. Stylish and streamlined design;
2. Internal secured recoiler with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. USB-A power cable (5V, 2A)



Standard cable  
(diameter 2.0 and length 80cm)



Standard security  
3M adhesive fixed on table



e-Tops

# Structure function

## 1 Type of charging security cable




Alarm sensor cable

## 3 Installation




Using 3M adhesive


## 2 Components




# Product dimension



Left view



Back view



Protection sensor

# IOT series

DE40ELA, DE40TLA, DE40TLB



## Features

1. Stylish and streamlined design;
2. Internal secured recoiler with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Support different display frames can be replaced;
9. USB-A power cable (5V, 2A)



e-Tops



Support different display frames can be replaced

# IOT brackets series

DE40ELC



## Features

1. Stylish and streamlined design;
2. Internal secured recoiler: cable with 32" pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. 360 degree lockdown for added security;
8. Support different display frames can be replaced;
9. USB-A powercable (5V, 2A)




e-Tops



Support different display frames can be replaced

# Structure function

## 1 Type of alarm security recoiler




## 3 Installation




using 3M adhesive  
to mould on wall


## 2 Components




# Product dimension



Left view



Back view



Protection sensor

# Phone series

DE41MLA




## Features

1. Stylish and streamlined design;
2. Internal secured recoiler with 80CM length, Simplified aftersales enabled;
3. Multiple security level choices: Standard, protection;
4. Standard steel cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging anti-theft separation solution, lower false alarm probability;
8. USB-A power cable (5V, 2A)



Standard security  
3M adhesive fixed on table



Standard advanced cable  
(diameter 2.0 and length 80cm)



e-Tops


# Structure function

## 1 Installation




using 3M adhesive  
to stick on table


## 2 Components



# Product dimension



Left view



Front view


# Wearable series

DE41WLA



## Features

1. Stylish and streamlined design;
2. Internal secured recoiler 80CM pull length,Simplified aftersales enabled;
3. Multiple security level choices: Standard, protection;
4. Standard steel cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging anti-theft separation solution, lower false alarm probability;
8. USB-A power cable (5V, 2A);
9. Support original charging base USB-A, Type-C interface



advanced cable  
(diameter 2.0 and length 80cm)



Standard security  
3M adhesive fixed wearable



e-Tops


# Structure function

## 1 Installation




using 3M adhesive  
to fix on table


## 2 Components



# Product dimension



Left view



Front view

# Wearable series

DE41ELA



## Features

1. Stylish and streamlined design;
2. Internal secured recoiler: cable with 82CM pull length, Simplified aftersales enabled;
3. Multiple security level choices: Standard, protection;
4. Standard steel cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging anti-theft separation solution, lower false alarm probability;
8. USB-A power cable (5V, 2A);
9. Support original charging base USB-A, Type-C interface



advanced cable  
(diameter 2.0 and length 80cm)



Standard security  
3M adhesive fixed wearable



e-Tops

# Structure function

## 1 Installation




using 3M adhesive


## 2 Components



# Product dimension




Left view



Front view



# Display holder series

HW-35, LT-01, LT-02



## Features

Vertical mobile phone holder , Horizontal mobile phone holder , Horizontal flatbed machine support.




# Multi ports series

FA409-DW



## Features


1. Multifunctional interface host with input voltage/current between 12-24V to meet the charging and anti-theft requirements of mobile phones and tablet products
2. Unlocking to 2.4GHz scheme, effective remote control within 2m range;
3. The port output is USB,
4. The host adopts a white plastic shell, which is reliable and stable;




# Products and accessories




4-port host




AC power cord



12V/3A adapter



Cross screwdriver



2.4Ghz remote control (optional)


Name/Model	Article number	Describe	Colour
<b>4-port host</b>			
FA409-DW		alarm host	white
<b>Adapter</b>			
ac adapter	H12120320001	12V/3A	black
<b>Power line</b>			
AC power cord	Y03260001909	national standard	black
<b>Remote control (optional)</b>			
SK-V	H03293250301	2.4GHz wireless remote control	white
<b>Screwdriver</b>			
cross screwdriver	F04060300770	A-017 Cross screw 3x85mm	green
<b>Packaging method</b>			
Inner box+ outer box	Gross weight:	Net weight:	10 boxes/1 box

# Multi ports series


FA609-DW




# Products and accessories




6-port host



Mechanical support



AC power cord



12V/3A adapter



Weak anti-theft alarm line



Cross screwdriver



2.4Ghz remote control (optional)

Name/Model	Article number	Describe	Colour
<b>6-port host</b>			
FA609-DW		alarm host	white
<b>Adapter</b>			
ac adapter		12V/3A	black
<b>Anti-theft wire</b>			
		Weak anti-theft alarm line	white
<b>Power line</b>			
AC power cord		DC interface	black
<b>Remote control (optional)</b>			
SK-V	H03293250301	2.4GHz wireless remote control	white
<b>Screwdriver</b>			
cross screwdriver	F04060300770	A-017 Cross screw 3x85mm	green
<b>Packaging method</b>			
Inner box+ outer box	Gross weight:	Net weight:	10 boxes/1 box



# Multi ports series

FA809-DW




## Features


1. Multifunctional interface host with input voltage/current between 12-24V to meet the charging and anti-theft requirements of mobile phones and tablet products
2. Unlocking to 2.4GHz scheme, effective remote control within 2m range;
3. The port output is USB,
4. European and American industrial design styles,
5. The host adopts a white plastic shell, ensuring stable reliability




# Products and accessories



8-port host



AC power cord



12V/3A adapter



Cross screwdriver




2.4Ghz remote control (optional)

Name/Model	Article number	Describe	Colour
<b>8-port host</b>			
FA809-DW		alarm host	white
<b>Adapter</b>			
ac adapter	H12120720001	12V/7A	black
<b>Power line</b>			
AC power cord	Y03260001909	national standard	black
<b>Remote control (optional)</b>			
SK-V	H03293250301	2.4GHz wireless remote control	white
<b>Screwdriver</b>			
cross screwdriver	F04060300770	A-017 Cross screw 3x85mm	green
<b>Packaging method</b>			
Inner box+ outer box	Gross weight:	Net weight:	10 boxes/1 box


# Multi ports series

HW-39Y1



## Features

1. Prop multi port anti-theft alarm
2. Material: Plastic (ABS+PC)
3. Surface: Oil spray (white)



L\*W\*H: 78mm\*40mm\*8.5mm



L\*W\*H: 72mm\*32mm\*9.5mm





# Multi ports series

Fast charging




# Features

- 1. Type-C fast charging alarm multi port host, charging and alarm functions;
- 2. The host is made of white plastic, with a simple appearance



后视图




右侧图



正视图



左侧图




# L100

The new generation anti-theft system, continuing the "simple and easy to use" design style, perfectly display the all categories product, modular design, providing a full range of display anti - theft services for merchandise, support the uniqueness of anti-theft keys for various commodities, customize the display style of various commodities, data acquisition, and eastops cloud platform management.

## Features

1. Stylish but streamlined design for various passive locks;
2. Smart locking solution for single or double swing-out glass doors;
3. Compatible with e-Tops;
4. No battery or local wiring needed for power;
5. Color: Black or White





# DH36PLA, DH36PSB, DH36PSB

The new generation of PC anti-theft device, continuing the "simple and easy to use" design style, perfectly display the all categories product, modular design, providing a full range of display anti - theft services for merchandise, customizable display brackets for various commodities.

## Features

1. Stylish and streamlined design for PC;
2. Cable with 60~80" length, Simplified aftersales enabled, longer cables adapt to more scene requirements;
3. Multiple security level choices: Standard & strong protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Use the original PC adapter





# SH36MLA, SH36MLA, SH36MSA

The new generation of Monitor & Desktop Computer(HDMI+USB) anti-theft device, continuing the "simple and easy to use" design style, perfectly display the all categories product, modular design, providing a full range of display anti - theft services for merchandise, customizable display brackets for various commodities.

## Features

1. Stylish and streamlined design for Monitor & Desktop Computer(HDMI+USB) ;
2. Cable with 60~80" length,Simplified aftersales enabled, longer cables adapt to more scene requirements;
3. Multiple security level choices: Standard & strong protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm-on-merchandise with 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging anti-theft separation solution, lower false alarm probability;
8. USB-A power cable (5V, 2A)




# SH36PLA, SH36PSA


The new generation of suite tablet anti-theft device, continuing the "simple and easy to use" design style, perfectly display the all categories product, modular design, providing a full range of display anti - theft services for merchandise, customizable display brackets for various commodities.

## Features


1. Stylish and streamlined design for suite tablet ;
2. Cable with 60~80" length,Simplified aftersales enabled, longer cables adapt to more scene requirements;
3. Multiple security level choices: Standard & strong protection;
4. Standard cable with tensile resistance 10kgf;
5. Alarm sound 90 dB alarm;
6. Quick release sensor with Eastops anti theft screwdriver;
7. Charging anti-theft separation solution, lower false alarm probability;
8. Use the original PC adapter



Host



Standard cable



Enhanced cable

# Product ordering

## Anti theft display frame

Model	Description	Color
DH36PLB	Standard security PC anti-theft alarm device	withe
DH36PSB	Stongsecurity PC anti-theft alarm device	withe
SH36MLA	Mouse & keyboard anti-theft alarm device	withe
SH36MSA	Strong security Monitor & Desktop Computer anti-theft alarm device	withe
SH36PLA	Standard security suite tablet anti-theft alarm device	withe
SH36PSA	Strong security suite tablet anti-theft alarm device	withe
L001	Standard security smart locking anti-theft alarm device	withe

## Optional components

Model	Description	Color
LCS605C	PC standard security charging alarm cable	withe
LCS605AC	PC Strong security charging alarm cable	withe
LCS381C	Mouse & keyboard standard security charging alarm cable	withe
LS009C	Mouse & keyboard standard security alarm cable	withe
LS287A	Monitor & Desktop Computer security alarm cable	withe

## General accessories

Model	Description	Color
SK-E	One button 2.4G daily refresh secret code rechargeable decoder	black
E-T100	2.4G encoder coder	black
T8	Eastops special anti-theft screwdriver	orange

## Power adapter

Model	Description	Color
5V2A-US	US 100-240VAC (no load 5.0-5.25V, full load 4.9 ± 0.2V) USB interface with cable compensation	black
5V2A-EU	EU 100-240VAC (no load 5.0-5.25V, full load 4.9 ± 0.2V) USB interface with cable compensation	black
5V2A-UK	UK 100-240VAC (no load 5.0-5.25V, full load 4.9 ± 0.2V) USB interface with cable compensation	black
5V2A-AU	AU 100-240VAC (no load 5.0-5.25V, full load 4.9 ± 0.2V) USB interface with cable compensation	black


# Other series

ST07




## Features

1. White plastic machine holder;
2. Metal claw (white) strong anti-theft;
3. Modern minimalist style;
4. Wireless decoding, easy to operate;
5. Compatible with smart keys.




# Products and accessories



Alarm host




Stainless steel cable



Coiled cable






T8 screwdriver with anti-theft point



5V/2A adapter



2.4Ghz remote control (optional)



Name/Model	Article number	Describe	Colour
<b>Alarm</b>			
		Anti-theft alarm	white
<b>Anti-theft wire</b>			
LCS-SW-002-SAC LCS357C		Strong stainless steel cable Coiled spring	White
<b>Adapter</b>			
ac adapter	H12050221401	5V2A power adapter	black
<b>Remote control (optional)</b>			
remote control	C10012000263	2.4GHz wireless remote control	black
<b>screwdriver</b>			
T8 anti-theft point screw	Y03260002034	Customized T8 screw driver	orange
<b>Packaging method</b>			
Inner box+ outer box	Gross weight:	Net weight:	40 boxes/1 box



# Other series

ST08




# Features

- 1. White plastic machine holder;
- 2. Metal claw (white) strong anti-theft;
- 3. Modern minimalist style;
- 4. Wireless decoding, easy to operate;
- 5. Compatible with smart keys.



# Products and accessories



Alarm host




Stainless steel cable



coiled spring cable






T8 screwdriver with anti-theft point



5V/2A adapter




2.4Ghz remote control (optional)



Name/Model	Article number	Describe	Colour
<b>Alarm</b>			
		Anti-theft alarm	white
<b>Anti-theft wire</b>			
LCS-SW-002-SAC		Strong anti-theft alarm line	White
LCS357C		Coiled spring cable	White
<b>Adapter</b>			
ac adapter	H12050221401	5V2A power adapter	black
<b>Remote control (optional)</b>			
remote control	C10012000308	2.4GHz wireless remote control	black
remote control	C10012000263	2.4GHz wireless remote control	black
<b>screwdriver</b>			
T8 anti-theft point screw	Y03260002034	Customized T8 screw driver	orange
<b>Packaging method</b>			
Inner box+ outer box	Gross weight:	Net weight:	40 boxes/1 box

# Other series

DH36ELC, DH36ESC



# Other series

DH36PLA, DE31ELA



# Other series

HW-64C-2




# Wireless Mobile Phone series

UWB-W013



## Features

1. USB Wireless charging and alarm function;
2. Decoder: 2.4GHz, control within 2m;
3. Output 5V/1.5-2A , meet charging demand for most phone;
4. Colour white or black ( optional);



## Products and accessories



Model	UWB-W013
Function	Wireless Charging and unplugged alarm
Decoding Method	2.4G
Alarm Sound	≥90dB@10cm
Alarm Method	Pull and unplugged alarm
Input Voltage/Current	5.5V2A
Output Voltage/Current	5V2A
Quiescent Current	7MA
Static Power	< 100mW
Product Material	ABS+Zinc alloy
Product Size(L x W x H)	75*59*17(L*W*H)(mm)
Weight	83.7g
Color	White



## **RICCO 65 CO., LTD.**

241/55 Moo.1 Tambon Khae Rai, Amphoe Krathum Baen,  
Samut Sakhon, 74110 Thailand

Tax ID : 0105562085274

 Mobile : 083-461-4156, 065-6282455

 E-mail : Ricco65ad2@gmail.com

 FB : Ricco65

 Line Official : @ricco65

[www.ricco65.com](http://www.ricco65.com)